

UNIVERSITY OF NORTH BENGAL ACCREDITED BY NAAC WITH GRADE A UNIVERSITY LIBRARY

Ref. No.: Lib/ 397 /2023-2024

Date: 25/07/2023

QUOTATION NOTICE

Sealed quotations are invited from interested vendors/suppliers to purchase a Printer. All documents must reach in a sealed cover to the Librarian, University Library, NBU within seven days from the date of advertisement. For further query in this matter, please contact at 0353-2776371.

Sr. No.	ITEM	Qty. (In Nos.)	Unit Price (In Rs. Without tax)	Total price (In Rs. Without tax)	Rate of GST / Goods tax (%)	GST	Total Cost TC
A	В	C	D	E=C*D	F	G	TC=E+G
1.	Card Printer	01					
	Total						

Terms and Conditions:

- o The technical bid documents must be accompanied by a copy of the current year PT challan, Trade License, PAN card, and GST registration certificate, all of which must be signed and stamped.
- o The rate should include all taxes and charges and the rate of GST and amount should be shown separately.
- o The quotation should be valid for at least six months.
- o The printer must come with a warranty period of three years.
- o The vendor should have successfully integrated the printer with the third-party application software.
- O Please ensure that a survey is conducted and assign a representative to visit the client site. The printer's quotation will only be considered valid upon completion of the survey.
- o The supply shall be done within 15 days after issuing the supply order.
- o The Item should be delivered to the university library, University of North Bengal.
- o All payments will be made as per the financial Rules of the University of North Bengal.

University Librarian
University of North Bengal

- The agency will be chosen based on both technical and financial bids.
- o The university reserves the right to reject any or all the bidders without assigning any reason.
- o The Bidder/OEM shall provide free maintenance goods during the warranty period.
- o The quotation form must be submitted by 05:00 P.M. on the seventh (7th) day following the advertisement's publication date.

Full technical specifications

- direct-to-card dye-sublimation/Resin thermal transfer
- Single-sided printing, edge-to-edge
- Standard 300 x 300 dpi resolution
- Customizable 300 x 600 dpi resolution (color and monochrome printing) or 300 x 1200 dpi resolution (monochrome printing only)
- 32 MB memory (RAM) standard optional 64 MB1 PRINTING PERFORMANCES
- Single side: Color (YMCKO): 190 225 cards/hour1 Monochrome: 600 850 cards/hour
- Dual side: Color (YMCKO-K): 140 cards/hour INTERFACES
- USB (1.0, 1.1, 2.0, 3.0), cable supplied Ethernet TCP-IP 10BaseT, 100BaseT (Traffic Led)
- 802.11b/g wireless connection on the Wireless range CARD MANAGEMENT AND SPECIFICATIONS Feeder capacity: 100 cards (0.76 mm 30 mil)
- Output hopper capacity: 100 cards (0.76 mm 30 mil)
- Reject tray capacity: 30 cards (0.76 mm 30 mil)
- Card thickness: 0.25 to 1.25 mm (10 to 50 mil), gauge adjustment (0.25 mm 10 mil only for monochrome printing)
- Card types: PVC cards, Composite PVC cards, PET cards, ABS cards1, specially varnished cards1
- Card format: ISO CR80 ISO 7810 (53.98 mm x 85.60 mm) OPTIONAL FEATURES
- Colors available: fire red & brilliant blue
- · Upgrade kit for dual-sided printing
- Open output hopper for collecting cards one by one
- USB encoding over IP through additional USB Net Server module, upon request
- Locking system
- Wireless range: wireless connection 802.11b/g ADDITIONAL ENCODING MODULES
- Available modules: Magnetic stripe encoder ISO 7811 HiCo/LoCo, JIS2 Smart contact station ISO 7816-2 Contact smart card encoder PC/SC, EMV 2000-1 Contactless smart card encoder ISO 14443A, B, ISO15693, MIFARE, DESFire, HID iCLASS, UHF (standard compliance: EPC C1 Gen2 / ISO18000-6C ETSI EN 302 208 or FCC part 15.247) Other specific encoders upon request Internal USB or IP ports
- Factory-installed or installed on-site SAFETY
- Support for Kensington® security lock
- Data encryption for magnetic encoding DISPLAY

University Librarian (2023)
University of North Bengal

- Printer LEDs
- Graphical notifications from the printer2: cleaning alerts, empty/low-level ribbon and card alerts, etc. EVOLIS HIGH TRUST® RIBBONS To maximize the quality and durability of printed cards, the lifespan of the print head and the overall printer reliability, use Evolis High Trust® ribbons.
- Automatic identification and setting
- Delivered in a drop-in cassette for easy handling
- Ribbon saver for monochrome printing List of ribbons available on www.evolis.com SOFTWARE
- Delivered with Evolis Premium Suite® for Windows®: A printer driver Evolis Print Center for administration and settings Evolis Printer Manager for graphical notification3 24/7 online support Compatible with Windows® (32/64 bits): XP SP3, Vista, W7, W8, W10
- Delivered with cardPresso XXS for designing and editing badges: Internal database (unlimited records) Windows® (from XP onwards) and Mac OS X
- Delivered with a driver for Mac OS X (from 10.5 onwards)
- · Linux OS upon request
- Evolis Premium SDK for remote supervision of the printer, while facilitating and speeding up integration into IT systems ECO-FRIENDLY DESIGN, CERTIFICATIONS AND STATEMENT OF COMPLIANCE
- Standby, sleep modes & reduced energy consumption
- CE, FCC, IEC, VCCI, CCC, KC, BIS, EAC RoHS SIZE AND WEIGHT
- Size (H x W x D) without reject tray: 247 x 205 x 381 mm (9.72" x 8.07" x 14.99")
- Weight: 4.02 kg (8.86 lbs) WARRANTY
- 3-year warranty (printer and print head)

University Eibrarian 02-3 University of North Bengal